

BH10P

Brass Tactile Stud

- Sloped sides for safe transition
- Grooved 10 ring top
- Plain sides
- For hard surfaces
- Pin shaft, requires epoxy

Brass Tactile Studs, feature a 10-ring grooved top for tactile guidance. Plain sides and rear pin for versatile installation, and sloped edges for smooth transitions. Ideal for high-traffic indoor and outdoor spaces.

Installation guide

Install BH10P to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural Brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

BH10N

Brass Tactile Stud with Plug

- Grooved 10 ring top
- Plug, friction fit
- Sloped sides for safe transition
- Suits all surfaces

Brass Tactile Studs feature a 10-ring grooved top for tactile guidance, plain sides, rear plug for versatile installation, and sloped edges for smooth transitions. Ideal for high-traffic indoor and outdoor spaces.

Installation guide

Install BH10N to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural Brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

BH60P

Brass Tactile Studs with Carb Insert

- Anti-slip carborundum insert
- Sloped sides for safe transition
- For hard surfaces
- Pin shaft requires epoxy

Brass Tactile Studs with Carborundum Inserts feature slip-resistant carborundum, plain sides, rear pin, and sloped edges. Offering enhanced safety and style for high-traffic indoor and outdoor areas.

Installation guide

Install BH60P to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior


Tactile Colours

Natural Brass



Insert Colours

Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

TacBar

Brass Tactile Bar DBBRSSLNFN

- Plain sides
- Sloped sides for safe transition
- For hard surfaces
- Pin shaft, requires epoxy

Brass Tactile Bars offer a stylish, durable accessibility solution crafted from premium brass. Their sleek, functional design with sloped edges suits high-traffic indoor and outdoor areas, prioritising safety and aesthetics.

Installation guide

Install TacBar to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance



Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural Brass



SH10N

Stainless Steel Tactile Stud

- Grooved 10 ring top
- Sloped sides for safe transition
- For all surfaces
- Plug, friction fit

Stainless Steel Tactile Studs, crafted from hard-wearing marine-grade stainless steel, feature a grooved 10-ring top for tactile feedback and sloped edges for smooth transitions. Ensuring stylish accessibility in high-traffic areas.

Installation guide

Install SH10N to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural or Black



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

SH10N-B

Stainless Steel Tactile Stud Black

- Grooved 10 ring top
- Sloped sides for safe transition
- For all surfaces
- Plug, friction fit

Stainless Steel Tactile Studs, crafted from hard-wearing marine-grade stainless steel, feature a grooved 10-ring top for tactile feedback and sloped edges for smooth transitions. Ensuring stylish accessibility in high-traffic areas.

Installation guide

Install SH10N to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Black



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

SH60N

Stainless Steel Tactile Studs with Carb Insert

- Anti-slip carborundum insert
- Sloped sides for safe transition
- For all surfaces
- Plug, friction fit

Stainless Steel Tactile Studs with Carborundum Inserts are crafted from hard-wearing marine-grade stainless steel. They're easy to install and have sloped sides for safe transitions in high-traffic areas.

Installation guide

Install SH60N to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior


Tactile Colours

Natural



Insert Colours

Black, Yellow



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX

SH60P

Stainless Steel Tactile Studs with Carb Insert

- Anti-slip carborundum insert
- Plain sides
- Sloped sides for safe transition
- For hard surfaces
- Pin shaft, requires epoxy

Stainless Steel Tactile Studs with Carborundum Inserts are crafted from hard-wearing marine-grade stainless steel. They're easy to install and have sloped sides for safe transitions in high-traffic areas.

Installation guide

Install SH60P to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior


Tactile Colours

Natural



Insert Colours

Black, Yellow



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX

SH75N

Stainless Steel Tactile Studs with Poly Insert

- Grooved 10 ring poly insert
- Plain sides
- Sloped sides for safe transition
- For all surfaces
- Plug, friction fit

Stainless Steel Tactile Studs with Grooved 10-Ring Poly Insert are crafted from hard-wearing marine-grade stainless steel. They are easy to install and offer enhanced colour contrast for the visually impaired in high-traffic areas.

Installation guide

Install SH75N to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior


Tactile Colours

Natural



Insert Colours

Black, Yellow



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX

TacStud

Stainless Steel Tacstud (TSTDSSCNFNLP)

- Plain sides
- Sloped sides for safe transition
- For hard surfaces
- Pin shaft, requires epoxy

Stainless Steel TacStuds are crafted from hard-wearing marine-grade stainless steel. They offer a corrosion-resistant finish, excellent anti-slip rating, and enhance accessibility and safety in high-traffic public spaces.

Installation guide

Install Tacstud to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural



TacStud

Stainless Steel Tacstud with Carb Insert (TSTDSSCBUFN)

- Anti-slip carborundum insert
- Plain sides
- Sloped sides for safe transition
- For hard surfaces
- Pin shaft, requires epoxy

Stainless Steel Tacstuds with Carborundum Inserts are crafted from hard-wearing marine-grade stainless steel. They feature a slip-resistant insert, secure installation options, and sloped sides for safe transitions in high-traffic areas.

Installation guide

Install Tacstud to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior


Tactile Colours

Natural



Insert Colours

Black, Yellow, Lumo



TacBar

Stainless Steel Hounds Teeth Directional Bars DBSSTLHTFN

- Sloped sides for safe transition
- For hard surfaces
- Pin shaft, requires epoxy

Stainless Steel Hounds Teeth Directional Bars are crafted from hard-wearing marine-grade stainless steel. They feature a corrosion-resistant finish, excellent anti-slip rating, and easy retrofit installation, enhancing accessibility and safety in high-traffic public spaces.

Installation guide

Install TacBar to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance



Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural



TacBar

Stainless Steel Directional Bars with Carb Insert DBSSTLCRB

- Sloped sides for safe transition
- For hard surfaces
- Pin shaft, requires epoxy
- Anti-slip carborundum insert

Stainless Steel Directional Bars with Carborundum Inserts are crafted from hard-wearing marine-grade stainless steel. They offer a corrosion-resistant finish, superior anti-slip properties, and easy retrofit installation, enhancing accessibility and safety in high-traffic areas.

Installation guide

Install TacBar with Carb Insert to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior


Tactile Colours

Natural



Insert Colours

Black, Yellow



SH10 Plate

Stainless Steel Warning Tactile Plate

- Retro fit application plate
- Increased strength
- Quick and easy installation
- For hard surfaces
- CA290 Adhesive, Mechanical fixings

Stainless Steel Warning Tactile Plates feature a corrosion-resistant finish and retrofit application for easy installation. Best for enhancing accessibility and safety in high-traffic public spaces.

Installation guide

Install SH10 Plate to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Plate Colours

Natural



Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

SH60 Plate

Stainless Steel Warning Tactile Plate with Carb Insert

- Retro fit application plate
- Increased strength
- Quick and easy installation
- Anti-slip carborundum inserts
- For hard surfaces
- CA290 Adhesive, Mechanical fixings

Stainless Steel Warning Tactile Plate with Carborundum Inserts feature a corrosion-resistant finish. The easy retrofit application and anti-slip grit top, enhances accessibility and safety in high-traffic public spaces.



Installation guide

Install SH60 Plate to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Plate Colours

Natural



Insert Colours

Black




SH10F

Stainless Steel Stemless Tactile Stud

- Grooved 10 ring top
- Plain sides
- Without rear stud, requires epoxy
- Sloped sides for safe transition
- For hard surfaces

Stainless Steel Stemless Tactile Studs are crafted from hard-wearing marine-grade stainless steel. They feature a grooved 10-ring top for tactile feedback. The sloped sides ensure safe transitions in high-traffic areas.



Installation guide

Install SH10F to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural. On request: Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

AH10N

Aluminium Tactile Studs with Plug

- Grooved 10 ring top
- Rear nylon plug
- Sloped sides for safe transition
- For all surfaces

Aluminium Tactile Studs are lightweight, corrosion-resistant, and feature a 10-ring grooved top, rear nylon stud, and sloped sides for secure installation. Ideal for high-traffic areas, they balance safety and aesthetics.

Installation guide

Install AH10N to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural. On request: Bronze, Black



Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

AH10P

Aluminium Tactile Studs

- Grooved 10 ring top
- Rear pin
- Sloped sides for safe transition
- For hard surfaces
- Pin shaft requires epoxy

Aluminium Tactile Studs are lightweight and corrosion-resistant. They feature a grooved 10-ring top for tactile feedback, rear pins for versatile installation, and sloped sides for safe transitions, ensuring reliable accessibility in public spaces.



Installation guide

Install AH10P to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Interior and exterior

Tactile Colours

Natural. On request: Bronze, Black



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

THISS12 & THISS25

Polyurethane TacStud with Star-Shaft

- Excellent anti-slip rating
- Easy friction fit install
- UV stable thermo polyurethane
- Superb abrasion qualities

Polyurethane Tactile Studs, made from UV-stable thermo polyurethane, feature a star-shaped pin for concrete, timber and tile substrates. They offer a durable, cost-effective solution with excellent anti-slip performance and easy retrofit installation for high-traffic areas.

Installation guide

Install THISS12 and THISS25 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Types & applications

- THISS25 – 25mm stem x 8mm diameter Star Shaft
- THISS12 – 12mm stem x 8mm diameter Star Shaft

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Black, Grey, White, Green, Blue, Terracotta, Beige, Charcoal




THIFS25

Polyurethane TacStud with Fin Shaft

- Excellent anti-slip rating
- Easy friction fit install
- UV stable thermo polyurethane
- Superb abrasion qualities
- For asphalt surfaces

Polyurethane Tactile Studs, made from UV-stable thermo polyurethane, feature a Fin shaft for asphalt substrates. They provide a durable, cost-effective solution with excellent anti-slip performance and easy retrofit installation for high-traffic areas.



Installation guide

Install THIFS25 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Black, Grey, White, Green, Blue, Terracotta, Beige, Charcoal



TDIBS10 & TDIBS15

Polyurethane TacBar

- Excellent anti-slip rating
- Easy friction fit install
- UV stable thermo polyurethane
- For concrete, asphalt, timber and tile surfaces

Polyurethane TacBars, crafted from UV-stable thermo polyurethane, provide a durable, cost-effective accessibility solution. With superior anti-slip properties and simple retrofit installation, they deliver lasting performance in high-traffic areas.

Installation guide

Install TDIBS10 and TDIBS15 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Types & applications

- TDIBS10 – 300mm strip x 10mm Bladed Shaft for concrete, timber and tile surfaces
- TDIBS15 – 300mm strip x 15mm Bladed Shaft for asphalt surfaces

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Black, Grey, White, Green, Blue, Terracotta, Beige, Charcoal




TacStrip

Polyurethane TacStrip THISS60010

- Excellent anti-slip rating
- Easy friction fit install
- UV stable thermo polyurethane
- Superb abrasion qualities

Polyurethane TacStrips, crafted from UV-stable thermo polyurethane, provide a durable, cost-effective accessibility solution with excellent anti-slip properties. They're easy to retrofit and ideal for high-traffic areas.



Installation guide

Install TacStrip to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Black, Grey, White, Green, Blue, Terracotta, Beige, Charcoal




TacMat

Hazard Polyurethane TacMat TMPL300HZ

- Excellent anti-slip rating
- Easy retro fit install
- UV stable thermo polyurethane
- For hard surfaces

The Hazard Polyurethane TacMat, crafted from UV-stable polyurethane, offers a durable, cost-effective solution for accessibility. Its raised domes warn of hazards, while superior anti-slip properties ensure traction in high-traffic areas. Easy to install and enhances safety.



Installation guide

Install TMPL300HZ to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Black, White, Green. Other colours available on request



TacMat

Directional Polyurethane TacMat TMPL300DI

- Excellent anti-slip rating
- Easy retro fit install
- UV stable thermo polyurethane
- For hard surfaces

The Directional Polyurethane TacMat, made from UV-stable polyurethane, provides a durable, cost-effective accessibility solution. Its raised bars guide users safely, while anti-slip properties ensure traction in high-traffic areas.

Installation guide

Install TMPL300DI to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Compliance


Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Black, White, Green. Other colours available on request



Warning Pavers

Warning Tactile Pavers

- Made in New Zealand
- Made from high strength concrete
- Excellent anti-slip rating
- Mortar bed required
- UV stable face Top Mix with colour-fast oxide

Concrete Warning Tactile Pavers, engineered from durable concrete, combine strength with UV functionality to enhance accessibility. They provide dependable performance and traction.

Installation guide

Install Warning Pavers to required areas as marked in accordance with manufacturer's recommendations.

Types & applications

TP25HA – 25mm thickness. For concrete and asphalt overlays only.

TM40HA – 40mm thickness. For concrete and asphalt surfaces.

TX60HA – 60mm thickness. For concrete surfaces. ATCOP recommended.

Compliance



Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow, Green, Natural. Other colours available on request.



Tactile Colours

Yellow, Green, Natural. Other colours available on request.



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Directional Pavers

Directional Tactile Pavers

- Made in New Zealand
- Made from high strength concrete
- Excellent anti-slip rating
- Mortar bed required
- UV stable face Top Mix with colour-fast oxide

Directional Tactile Pavers, crafted from robust concrete, blend durability and UV functionality to enhance accessibility. Provides dependable performance and traction.

Installation guide

Install Directional Pavers to required areas as marked in accordance with manufacturer's recommendations.

Types & applications

TP25DI – 25mm thickness. For concrete and asphalt overlays only.

TM40DI – 40mm thickness. For concrete and asphalt surfaces

TX60DI – 60mm thickness. For concrete surfaces. ATCOP recommended.

Compliance

Complies with all relevant NZ standards and regulations including RTS14.2009.

Application

Exterior

Tactile Colours

Yellow. Other colours available on request.

Tactile Colours

Yellow. Other colours available on request.



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



DKR104-H

Solid Brass Safety Stair Nosing with Carb Insert

- Ramped back, short front
- Interior and exterior use
- Surface mount
- For concrete, timber, tile & vinyl surfaces
- Requires CA290 adhesive and mechanical fixings

Solid Brass Safety Stair Nosings with Carborundum Insert enhance stair safety in commercial and public spaces. Their ramped back and short front make installation easy, while premium brass construction ensures durability and slip resistance.

Installation guide

Install DKR104-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural brass



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX



DKR142-H

Solid Brass Safety Stair Nosing with Carb Insert

- Ramped back, folded front
- Interior and exterior use
- Surface mount
- For concrete, timber, tile & vinyl surfaces
- Requires CA290 adhesive and mechanical fixings


Solid Brass Safety Stair Nosings with Carborundum Insert feature a ramped back and folded front, enhancing traction and visibility. Their premium brass construction ensures slip resistance and easy installation for various environments.

Installation guide

Install DKR142-H to required areas as marked in accordance with manufacturer's recommendations

Application

Interior and exterior



Nosing profile colours

Natural brass



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

IKB121-H

Solid Brass Stair Nosing with Carb Insert

- Square back, square front
- Interior and exterior use
- Rebated
- For concrete, timber & tile surfaces
- Requires CA290 adhesive and mechanical fixings

Solid Brass Safety Stair Nosings with Carborundum Insert offer a sleek, durable solution for enhancing stair safety. They improve traction and visibility, featuring a square back and front for high-traffic areas.



Installation guide

Install IKB121-H to required areas as marked in accordance with manufacturer's recommendations

Application

Interior and exterior

Nosing profile colours

Natural brass



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




IKB140-H

Solid Brass Stair Nosing with Carb Insert

- Square back, short front
- Interior and exterior use
- Rebated
- For concrete, timber & tile surfaces
- Requires CA290 adhesive and mechanical fixings

Solid Brass Safety Stair Nosings with Carborundum Insert offer a sleek, durable solution for enhancing stair safety. They improve traction and visibility, featuring a square back and raked front for high-traffic areas.



Installation guide

Install IKB140-H to required areas as marked in accordance with manufacturer's recommendations

Application

Interior and exterior

Nosing profile colours

Natural brass



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX



SBR104-H

Solid Brass Safety Stair Nosing with Poly Insert

- Ramped back, short front
- Interior and exterior use
- Surface mount
- For concrete, timber, tile & vinyl surfaces
- Requires CA290 adhesive and mechanical fixings



Solid Brass Safety Stair Nosings with Poly Insert features a ramped back and short front, enhancing traction and visibility. Their premium brass construction ensures slip resistance and easy installation for various environments.

Installation guide

Install SBR104-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Nosing profile colours

Natural brass



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Application

Interior and exterior



Installation
Services



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



SBR142-H

Solid Brass Safety Stair Nosing with Poly Insert

- Ramped back, folded front
- Interior and exterior use
- Surface mount
- For concrete, timber, tile & vinyl surfaces
- Requires CA290 adhesive and mechanical fixings


Solid Brass Safety Stair Nosings with Poly Insert enhances stair safety and visibility in commercial and public spaces. Featuring many colour options for increased contrast, their ramped back and folded front allow for easy installation.

Installation guide

Install SBR142-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Nosing profile colours

Natural brass



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

IBB121-H

Solid Brass Stair Nosing with Poly Insert

- Square back, square front
- Interior and exterior use
- Rebated
- For concrete, timber & tile surfaces
- Requires CA290 adhesive and mechanical fixings

Solid Brass Safety Stair Nosing with Poly Insert enhances stair safety with a ribbed polymer insert for superior visibility. Its luxurious design is perfect for high-end commercial and public spaces.



Nosing profile colours

Natural brass



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




IBB140-H

Solid Brass Stair Nosing with Poly Insert

- Square back, short front
- Interior and exterior use
- Rebated
- For concrete, timber & tile surfaces
- Requires CA290 adhesive and mechanical fixings

Solid Brass Safety Stair Nosing with Poly Insert enhances stair safety with a ribbed polymer insert for superior visibility. Its luxurious design is perfect for high-end commercial and public spaces.



Installation guide

Install IBB140-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural brass



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Installation
Services



10 Year
Warranty



P3 Slip
Rating

Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

INB033-H

Solid Brass Safety Stair Nosing

- Square edged
- Interior and exterior use
- Rebated
- For concrete, timber & tile surfaces
- Requires CA290 adhesive

Solid Brass Safety Stair Nosings offer a durable, elegant solution for enhancing stair safety in commercial spaces. Their square-edged design enables secure installation, ensuring compliance while providing long-lasting performance in high-traffic areas.



Installation guide

Install INB033-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural brass



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX

SNB041-H

Solid Brass Safety Stair Nosing

- Square back, short front
- Interior and exterior use
- Surface mount, rebated, vinyl & rubber applications
- Requires CA290 adhesive


Solid Brass Safety Stair Nosings enhance stair safety in commercial and public spaces. Designed to improve traction and visibility, these square-edged brass nosings ensure compliance and offer a polished finish for high-traffic areas.

Installation guide

Install SNB041-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior




Nosing profile colours

Natural brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX




BAR040-H

Solid Brass Safety Stair Nosing Bars

- Interior and exterior use
- Rebated, requires epoxy
- Available in 1.5m lengths

Solid Brass Safety Stair Nosing Bars enhance stair safety in indoor and outdoor spaces. Designed to improve traction and visibility, these durable nosings ensure compliance while offering long-lasting performance and an elegant finish in high-traffic areas. You may wish to have up to three of these per step.



Installation guide

Install BAR040-H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX




DKR104

Aluminium Safety Stair Nosing with Carb Insert

- Ramped back, short front
- Carborundum insert
- Pre-drilled and countersunk, CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Carborundum Insert provide a lightweight, durable solution for enhancing stair safety. They feature a ramped back, short front, and pre-drilled design for easy installation.



Installation guide

Install DKR104 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black, Gold.

On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Lumo



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




DKR103

Aluminium Safety Stair Nosing with Carb Insert

- Ramped back, folded front
- Carborundum insert
- Pre-drilled and countersunk, CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Carborundum Insert provide a lightweight, durable solution for improving stair safety. Designed with a folded front and ramped back, they ensure easy installation and enhanced slip resistance.



Installation guide

Install DKR103 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black, Gold.

On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Lumo



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX



DKR135

Aluminium Safety Stair Nosing with Carb Insert

- Ramped back, long folded front
- Carborundum insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces


Aluminium Safety Stair Nosings with Carborundum Insert provide a lightweight, durable solution for improving stair safety. Designed with a long folded front and ramped back, they ensure easy installation and enhanced slip resistance.

Installation guide

Install DKR135 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Nosing profile colours

Natural (standard), Black. On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Lumo



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




DKR404

Aluminium Safety Stair Nosing with Striped Carb Insert

- Ramped back, short front
- Striped carborundum insert
- Pre-drilled and countersunk
- CA290 Adhesive, mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Striped Carborundum Insert provide a lightweight, durable solution for enhancing stair safety. Featuring a ramped back and short front, they ensure excellent traction and visibility



Nosing profile colours

Natural (standard), Black, Gold.

On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Installation guide

Install DKR404 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




DKR403

Aluminium Safety Stair Nosing with Striped Carb Insert

- Ramped back, folded front
- Striped carborundum insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Striped Carborundum Insert provide a lightweight, durable solution for enhancing stair safety. Featuring a ramped back and folded front, they ensure compliance and visibility.



Nosing profile colours

Natural (standard), Black, Gold.

On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Installation guide

Install DKR404 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




DKR435

Aluminium Safety Stair Nosing with Striped Carb Insert

- Ramped back, long folded front
- Striped carborundum insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Striped Carborundum Insert offer a lightweight, durable solution for enhancing stair safety. Featuring a ramped back and long folded front, they ensure compliance and visibility.



Nosing profile colours

Natural (standard), Black. On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Installation guide

Install DKR435 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX



DKR407

Aluminium Safety Stair Nosing with Striped Carb Insert and Front Insert

- Ramped back, long carb insert front
- Striped carborundum insert and front carb insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces



Aluminium Safety Stair Nosings with Striped Carborundum Insert and Front Insert offer a lightweight, durable solution for enhancing stair safety. Featuring a ramped back and long front with built-in tread, they ensure compliance and visibility.

Nosing profile colours

Natural (standard), Black. On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Front insert colours

Black, Yellow



Installation guide

Install DKR407 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

SBR104

Aluminium Safety Stair Nosing with Poly Insert

- Ramped back, short front
- Ribbed polymer insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Poly Insert enhance stair safety in commercial spaces. Featuring a ribbed polymer insert, ramped back, and short front, they ensure traction and compliance with safety standards.

Installation guide

Install SBR104 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black, Gold.

On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Installation
Services

10

Year
Warranty

P3

Slip
Rating

Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

SBR103

Aluminium Safety Stair Nosing with Poly Insert

- Ramped back, folded front
- Ribbed polymer insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Poly Insert enhance stair safety in commercial spaces. Their ribbed poly insert improves visibility, while the ramped back and folded front ensure easy installation and compliance.

Installation guide

Install SBR103 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black, Gold.

On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX



SBR135

Aluminium Safety Stair Nosing with Poly Insert

- Ramped back, long folded front
- Ribbed polymer insert
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces


Aluminium Safety Stair Nosings with Poly Insert enhance stair safety in commercial spaces. Their ribbed poly insert improves visibility, while a ramped back and long folded front ensures easy installation and compliance.

Installation guide

Install SBR135 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Nosing profile colours

Natural (standard), Black. On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

SNR019

Aluminium Safety Stair Nosing

- Ribbed aluminium
- Ramped back, short front
- CA290 Adhesive
- Surface mount
- For concrete, timber, tile and vinyl surfaces


Solid Aluminium Safety Stair Nosings enhance stair safety in commercial spaces, improving traction and visibility. With a ribbed design, ramped back, and short front, they ensure durability and compliance with safety standards.

Installation guide

Install SNR019 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Nosing profile colours

Natural (standard), Black, Platinum.
On request: Gold, Bronze, Saffron, Chocolate, Olive



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX

FMR104

Aluminium Safety Stair Nosing with Aluminium Insert

- Ribbed aluminium insert
- Ramped back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Aluminium Insert enhance safety in commercial spaces. They feature a ribbed insert, ramped back, and short front for improved traction, visibility, and easy installation in high-traffic areas.

Installation guide

Install FMR104 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black, Gold.
On request: Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Natural (standard), Black, Gold & Platinum. On request: Bronze, Saffron, Chocolate, Olive



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX



LKR127

Aluminium Safety Stair Nosing with Carb Insert and Lumo Strip

- Ramped back, folded front
- Carborundum insert with a luminescent strip
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces



Aluminium Safety Stair Nosings with Carborundum Insert and Luminescent Strip provide a lightweight, durable solution for enhancing stair safety. Featuring a ramped back, folded front, and luminescent strip for added visibility, they ensure compliance.

Installation guide

Install LKR128 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX



LKR128

Aluminium Safety Stair Nosing with Carb Insert and Lumo Strip

- Ramped back, short front
- Carborundum insert with a luminescent strip
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces



Aluminium Safety Stair Nosings with Carborundum Insert and Luminescent Strip provide a lightweight, durable solution for enhancing stair safety. Featuring a ramped back, short front, and luminescent strip for added visibility, they ensure compliance.

Installation guide

Install LKR128 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent




haptix.co.nz
0800 HAPTIX



LKR428

Aluminium Safety Stair Nosing with Striped Carb Insert and Lumo Strip

- Ramped back, short front
- Striped carborundum insert with a luminescent strip
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces



Aluminium Safety Stair Nosings with Striped Carborundum Insert and Luminescent Strip enhance safety in indoor and outdoor spaces. They feature a ramped back, short front, and durable, corrosion-resistant construction for easy installation.

Installation guide

Install LKR428 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Application

Interior and exterior



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX



LKR427

Aluminium Safety Stair Nosing with Striped Carb Insert and Lumo Strip

- Ramped back, folded front
- Striped carborundum insert with a luminescent strip
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces



Aluminium Safety Stair Nosings with Striped Carborundum Insert and Luminescent Strip feature a folded front and ramped back, enhancing safety and visibility in high-traffic areas. Their corrosion-resistant design ensures durability and easy installation.

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Installation guide

Install LKR427 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

LBR128

Aluminium Safety Stair Nosing with Poly Insert and Lumo Strip

- Ramped back, short front
- Ribbed polymer insert with a luminescent strip
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Poly Insert and Luminescent Strip enhance stair safety in public spaces. Designed for visibility and traction, they feature a luminescent strip for visibility and a ramped back for easy installation.

Installation guide

Install LBR128 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



haptix.co.nz
0800 HAPTIX

LBR127

Aluminium Safety Stair Nosing with Poly Insert and Lumo Strip

- Ramped back, folded front
- Ribbed polymer insert with a luminescent strip
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Surface mount
- For concrete, timber, tile and vinyl surfaces

Aluminium Safety Stair Nosings with Poly Insert and Luminescent Strip feature a folded front, enhancing stair safety in commercial and public spaces. They improve traction, visibility, and comply with safety standards for high-traffic areas.

Installation guide

Install LBR127 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

IKB121

Aluminium Safety Stair Nosing with Carb Insert

- Square back, square front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Safety Stair Nosings with Carborundum Insert provide a lightweight, durable solution for enhancing stair safety. They improve traction and visibility, featuring a sleek square edged design for high-traffic areas.

Installation guide

Install IKB121 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




IKB140

Aluminium Safety Stair Nosing with Carb Insert

- Square back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Safety Stair Nosings with Carborundum Insert offer a lightweight, durable solution for enhancing stair safety. They improve traction and visibility, featuring a square back and short front for high-traffic areas.



Installation guide

Install IKB140 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




IKB440

Aluminium Safety Stair Nosing with Striped Carb Insert

- Square back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Safety Stair Nosing with Striped Carborundum Insert provides a lightweight, durable solution for improving stair safety. Designed for traction and visibility, it features a square back and short front.



Installation guide

Install IKB440 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




IKB439

Aluminium Safety Stair Nosing with Striped Carb

- Square back, square front
- CA290 Adhesive
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Striped Carborundum Safety Stair Nosing offer a lightweight, durable solution for enhancing stair safety. Designed for traction and visibility, it features a square back and front for a sleek finish.



Installation guide

Install IKB439 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Black/Natural, Yellow/Natural,
White/Natural, Black/Black



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

IBB121

Aluminium Safety Stair Nosing with Poly Insert

- Square back, square front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Safety Stair Nosing with Poly Insert offers a lightweight, durable solution for enhancing stair safety. Its ribbed polymer insert improves visibility, while the square back and front ensure a modern finish.

Installation guide

Install IBB121 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




IBB140

Aluminium Safety Stair Nosing with Poly Insert

- Square back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Safety Stair Nosing with Poly Insert enhances stair safety with a ribbed polymer insert for superior visibility. Its corrosion-resistant design is perfect for high-traffic commercial and public spaces.



Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Installation guide

Install IBB140 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

INB033

Solid Aluminium Safety Stair Nosing

- Square back, square front
- CA290 Adhesive
- Rebated
- For concrete, timber, & tile surfaces

Solid Aluminium Safety Stair Nosing provides a robust solution for enhancing stair safety. Its ribbed surface improves traction, while the corrosion-resistant construction ensures durability in high-traffic areas.



Installation guide

Install INB033 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black, Platinum, Gold.
On request: Bronze, Saffron, Chocolate, Olive



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX




IMB121

Aluminium Safety Stair Nosing with Aluminium Insert

- Square back, square front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- Rebated
- For concrete, timber, & tile surfaces

Aluminium Safety Stair Nosing with Aluminium Insert enhances stair safety with a ribbed insert for superior grip. With a square back and front design, it delivers a sleek, modern aesthetic.



Installation guide

Install IMB121 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours

Natural (standard), Black.

On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours


Natural (standard), Black, Gold & Platinum.

On request: Bronze, Saffron, Chocolate, Olive



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




BAR040

Rebated Aluminium Safety Stair Nosing Bars

- Installed in up to three strips
- Epoxy Fitted
- Rebated
- For concrete, timber & tile surfaces
- Available in 1.5m lengths

Rebated Aluminium Safety Stair Nosing Bars offer a lightweight, durable solution to enhance stair safety. Designed for traction and visibility, they reduce slips, comply with safety standards, and install in strips for a minimalist look.



Installation guide

Install BAR040 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior

Nosing profile colours


Natural (standard), Black, Bronze.

On request: Gold, Saffron, Chocolate, Olive



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX




BAR040-SS

Rebated Stainless Steel Stair Nosing Bars

- Installed in up to three strips
- Epoxy Fitted
- Rebated
- For concrete, timber, & tile surfaces
- Available in 2m lengths

Rebated Stainless Steel Stair Nosing Bars offer a very durable solution to enhance stair safety. Designed for traction and visibility, they reduce slips, comply with safety standards, and install in strips for a minimalist look.



Installation guide

Install BAR040-SS to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior




DKV105

Aluminium Safety Stair Nosing with Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For vinyl

Aluminium Safety Stair Nosing with Carborundum Insert enhances stair safety and visibility. The durable aluminium construction ensures long-lasting performance, while the gripper back and short front minimize trip hazards.



Installation guide

Install DKV105 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

PKD106

Aluminium Safety Stair Nosing with Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Carborundum Insert is designed for interior use, enhancing safety and visibility. Featuring a gripper back and short front, it ensures secure footing and smooth transitions.

Installation guide

Install PKD106 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PKD129

Aluminium Safety Stair Nosing with Carb Insert

- Gripper back, folded front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Carborundum Insert is ideal for carpet and rubber surfaces. Featuring a folded front and gripper back, it ensures safety, stability, and easy installation.



Installation guide

Install PKD129 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PKD143

Aluminium Safety Stair Nosing with Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 8-10mm Carpet & Rubber

Aluminium Safety Stair Nosing with Carborundum Insert is designed for carpet and rubber surfaces. Featuring a gripper back and short front, it enhances stability and safety.



Installation guide

Install PKD143 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

PKD144

Aluminium Safety Stair Nosing with Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber


Aluminium Safety Stair Nosing with Carborundum Insert enhances stair safety with superior slip resistance, a secure gripper back, and a short front for smooth transitions, ideal for high-traffic areas.

Installation guide

Install PKD144 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Yellow, Grey, Luminescent



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




DKV405

Aluminium Safety Stair Nosing with Striped Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For Vinyl

Aluminium Safety Stair Nosing with Striped Carborundum Insert features a gripper back and short front, enhancing stability and safety on vinyl surfaces in high-traffic areas.



Installation guide

Install DKV405 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

PKD406

Aluminium Safety Stair Nosing with Striped Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Striped Carborundum Insert is ideal for carpet and rubber surfaces. Featuring a gripper back and short front, it ensures stability and slip resistance.

Installation guide

Install PKD406 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PKD429

Aluminium Safety Stair Nosing with Striped Carb Insert

- Gripper back, folded front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Striped Carborundum Insert is ideal for carpeted or rubber surfaces. It provides secure grip, high slip resistance, and effortless installation.



Installation guide

Install PKD429 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PKD443

Aluminium Safety Stair Nosing with Striped Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 8-10mm Carpet & Rubber

Aluminium Safety Stair Nosing with Striped Carborundum Insert enhances stair safety with excellent slip resistance, a gripper back for secure installation, and a short front for smooth transitions.



Installation guide

Install PKD443 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

PKD444

Aluminium Safety Stair Nosing with Striped Carb Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Striped Carborundum Insert enhances stair safety. With excellent slip resistance, durable construction, and a ramped back for secure installation, this makes it ideal for high-traffic commercial spaces.

Installation guide

Install PKD444 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black/Natural, Yellow/Natural, White/Natural, Black/Black



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

FMV105

Aluminium Safety Stair Nosing with Aluminium Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For Vinyl

Aluminium Safety Stair Nosing with Aluminium Insert is expertly crafted for interior use, enhancing stair safety. Featuring a gripper back and short front, it ensures maximum traction and smooth transitions.

Installation guide

Install FMV105 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black.

On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Natural (standard), Black, Gold &

Platinum. On request: Bronze, Saffron, Chocolate, Olive



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

FMD106

Aluminium Safety Stair Nosing with Aluminium Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Aluminium Insert offers a lightweight, durable solution for carpet or rubber installations. Featuring a gripper back and short front, it enhances traction and visibility.

Installation guide

Install FMD106 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black.

On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Natural (standard), Black, Gold & Platinum.

On request: Bronze, Saffron, Chocolate, Olive



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

FMD129

Aluminium Safety Stair Nosing with Aluminium Insert

- Gripper back, folded front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Aluminium Insert provides an effective interior solution for enhancing stair safety. Featuring a gripper back and folded front, it improves traction and visibility while reducing slip risks.

Installation guide

Install FMD129 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black.

On request: Gold, Bronze, Saffron, Chocolate, Olive



Nosing insert colours

Natural (standard), Black, Gold & Platinum.

On request: Bronze, Saffron, Chocolate, Olive



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

SNB031

Solid Aluminium Safety Stair Nosing

- Square back, short front
- CA290 Adhesive
- For Vinyl


Solid Aluminium Safety Stair Nosing enhances stair safety with its square back and short front, ensuring secure fit and smooth transitions. The ribbed construction offers excellent traction, ideal for high-traffic areas.

Installation guide

Install SNB031 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Nosing profile colours

Natural (standard), Black.

On request: Gold, Bronze, Saffron, Chocolate, Olive



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

PND045

Solid Aluminium Safety Stair Nosing

- Square back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 8-10mm Carpet & Rubber


Solid Aluminium Safety Stair Nosing features a square back and short front, ensuring stability on carpet and rubber surfaces. Its ribbed surface enhances traction, ideal for high-traffic areas.

Installation guide

Install PND045 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

PND046

Solid Aluminium Safety Stair Nosing

- Square back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber


Solid Aluminium Safety Stair Nosing features a square back and short front for secure fit and smooth transitions. Its ribbed top provides traction, ideal for high-traffic interiors.

Installation guide

Install PND046 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

SBV105

Aluminium Safety Stair Nosing with Poly Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For Vinyl

Aluminium Safety Stair Nosing with Poly Insert enhances stair safety. With a ribbed polymer insert for visibility, a gripper back for secure installation, and a short front for smooth transitions.



Installation guide

Install SBV105 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

PBD106

Aluminium Safety Stair Nosing with Poly Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Poly Insert enhances safety on carpet and rubber surfaces. Featuring a gripper back, it ensures a secure fit while improving visibility in high-traffic areas.



Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Installation guide

Install PBD106 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PBD129

Aluminium Safety Stair Nosing with Poly Insert

- Gripper back, folded front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Poly Insert features a folded front design. This enhances safety for carpet and rubber surfaces while improving visibility and ensuring secure fit and smooth transitions.



Installation guide

Install PBD129 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PBC102

Aluminium Safety Stair Nosing with Poly Insert

- Ramped back, folded front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For thick Carpet

Aluminium Safety Stair Nosing with Poly Insert features a ramped back and folded front, providing stability on carpet. Its ribbed insert enhances traction for high-traffic areas.



Nosing profile colours

Natural (standard), Black. On request: Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Installation guide

Install PBC102 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX




PBD143

Aluminium Safety Stair Nosing with Poly Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 8-10mm Carpet & Rubber

Aluminium Safety Stair Nosing with Poly Insert enhances stairway safety. Featuring a gripper back for secure fit, it minimises slip risks and promotes smooth transitions, ideal for high-traffic areas.



Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Installation guide

Install PBD143 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

PBD144

Aluminium Safety Stair Nosing with Poly Insert

- Gripper back, short front
- Pre-drilled and countersunk
- CA290 Adhesive, Mechanical fixings
- For 4-6mm Carpet & Rubber

Aluminium Safety Stair Nosing with Ribbed Polymer Insert enhances stair safety in interior environments. Featuring a gripper back for secure installation and a short front, it minimises trip hazards and increases traction.

Installation guide

Install PBD144 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard). On request: Black, Bronze, Gold, Saffron, Chocolate, Olive



Nosing insert colours

Black, Light Grey, Mid Grey, Dark Grey, Red, Tangerine, Yellow, Beige, Blue, White, Ultra Violet, Raspberry, Teal, Lime Green, Coral



Haptix BY CMT GROUP

haptix.co.nz
0800 HAPTIX

A-137R

Aluminium Safety Stair Nosing With Self Adhesive Insert

- Ramped back, long front
- Grit tape insert
- Requires CA290 adhesive
- Surface Mount

Aluminium Safety Stair Nosing with Self-Adhesive Insert offers a affordable solution for enhancing stair safety. Its corrosion-resistant aluminium construction ensures performance and compliance.

Installation guide

Install A-137R to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard)



Nosing insert colours

Black, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX




A-138R

Aluminium Safety Stair Nosing With Self Adhesive Insert

- Ramped back, short front
- Grit tape insert
- Requires CA290 adhesive
- Surface Mount

Aluminium Safety Stair Nosing with Self-Adhesive Insert offers a affordable solution for enhancing stair safety. Its corrosion-resistant aluminium construction ensures performance and compliance.



Installation guide

Install A-138R to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior

Nosing profile colours

Natural (standard)



Nosing insert colours

Black, Yellow



Installation
Services

Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

GKR017

Anti-Slip Stair Nosing

- Ramped back, square front
- CA290 adhesive and mechanical fixings
- Surface Mount


Anti-slip Stair Nosings effectively improve traction and reduce slip hazards on stairs and walkways. Made from affordable and durable carborundum, they are ideal for high-traffic areas like schools and train stations.

Installation guide

Install GKR017 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior



Profile Colours

Black, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

GKR030

Anti-Slip Stair Nosing

- Ramped back, short front
- CA290 adhesive and mechanical fixings
- Surface Mount

Anti-Slip Stair Nosings effectively improve traction and reduce slip hazards on stairs and walkways. Made from affordable durable carborundum, they are ideal for high-traffic areas like schools and train stations.

Installation guide

Install GKR030 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior

Profile Colours

Black, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

TKR016

Anti-Slip Strips

- Ramped front, ramped back
- CA290 adhesive and mechanical fixings
- Surface Mount
- Can be used as a stair nosing or along slippery surfaces for traction

Carborundum Anti-Slip Strips enhance safety by improving traction and reducing slip hazards on stairs and walkways. Their durable, abrasion-resistant carborundum surface ensures reliability in high-traffic indoor and outdoor environments.

52



Installation guide

Install TKR016 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Install at a maximum length of 2400mm before expansion cutting. Fixings should be installed at least every 250mm.

Application

Interior and Exterior

Profile Colours

Black, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

EC2V

Square Edge, Two Part Expansion Joint Cover

- Provides safe transitions between surfaces
- Adjustable width 115-125mm
- Provided in 3600mm lengths
- For interior and exterior applications
- Suitable for most hard surfaces
- Mechanical fixings

Aluminium Expansion Joint Covers provide a durable solution for bridging gaps while accommodating movement. Lightweight and corrosion-resistant, they prevent structural damage and integrate seamlessly into indoor and outdoor commercial spaces.

Installation guide

Install EC2V to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

EC2R

Ramped Edge, Two Part Expansion Joint Cover

- Provides safe transitions between surfaces
- Adjustable width 130-140mm
- Provided in 3600mm lengths
- For interior and exterior applications
- Suitable for most hard surfaces
- Mechanical fixings

Aluminium Expansion Joint Covers provide a durable solution for bridging gaps while accommodating movement. Lightweight and corrosion-resistant, they prevent structural damage and integrate seamlessly into indoor and outdoor commercial spaces.

135

Installation guide

Install EC2R to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



IRF1180

Ramp Frame for Surface Mounted Matting

- Provides safe transition between carpeted surfaces
- Used to create a defined mat well
- Ramped to reduce trip hazards
- CA290 adhesive


Ramp Frame for Surface Mounted Matting ensures safe transitions between matting and surrounding surfaces. Designed to minimize trip hazards, it provides secure mat installation and a professional finish for durability.

Installation guide

Install IRF1180 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



TRP33H

Two Part Trim with Aluminium Flat Top

- Continuously adaptable height and inclination
- High load capacity up to 1.5 tons
- Provides a safe transition between carpeted surfaces
- Mechanical fixings


Two-Part Aluminium Trim offers a seamless solution for joining floor coverings. Lightweight and corrosion-resistant, it allows easy installation and adjustments while providing a clean, professional finish in commercial spaces.

Installation guide

Install TRP33H to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

TRP44R

Two Part Trim with Aluminium Ramped Top

- Continuously adaptable height and inclination
- High load capacity up to 1.5 tons
- Provides a safe transition between carpeted surfaces of differing heights
- Mechanical fixings

Two-Part Aluminium Trim offers a seamless solution for joining floor coverings to other surfaces. Lightweight and corrosion-resistant, it allows easy installation and adjustments while providing a clean, professional finish in commercial spaces.



Installation guide

Install TRP44R to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Haptix BY CMT GROUP


haptix.co.nz
0800 HAPTIX

CSA Series

Aluminium Floor Cover

- Designed for smooth transition between different floor surfaces
- Concealed mechanical fixing with self adhesive aluminium strip
- Supplied complete with fixings
- Available in 50mm and 75mm widths

Aluminium Floor Covers offer a durable solution for bridging small gaps and height differences while allowing movement. Lightweight and corrosion-resistant, they accommodate expansion and contraction, ensuring long-lasting performance in commercial and public spaces.



Installation guide

Install CSA50 and CSA75 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

FCS Series

Folded Cover Strip

- Designed for smooth transition between different floor surfaces
- Pre-drilled and countersunk
- Supplied complete with mechanical fixings
- Available in different sizes


Folded Cover Strips ensure smooth transitions between floor surfaces, reducing trip hazards and delivering a professional finish. Easy to install, they accommodate height variations and provide durability for indoor and outdoor use.

Installation guide

Install FCS40, FCS60, FCS80, FCS100 and FCS150 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY
CMT GROUP

haptix.co.nz
0800 HAPTIX

ETV3

Floor Trim

- Edge trim for vinyl flooring
- Provides a solid and clean finish at horizontal and vertical junctions
- CA290 adhesive


Floor Trims provide a durable solution for finishing and protecting floor edges, ensuring smooth transitions and preventing wear. Lightweight and corrosion-resistant, they deliver long-lasting performance in commercial and public spaces.

Installation guide

Install ETV3 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and exterior



Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

ETC6

Floor Trim

- Edge trim for carpet and tile flooring
- Provides a solid and clean finish at horizontal and vertical junctions
- CA290 adhesive

Floor Trims provide a durable solution for finishing and protecting floor edges, ensuring smooth transitions and preventing wear. Lightweight and corrosion-resistant, they deliver long-lasting performance in commercial and public spaces.



Installation guide

Install ETC6 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior



Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

Slip Grip Discs

Slip Grip Discs PSGDISCFBSST

- High anti-slip rating
- Suitable for concrete and timber surfaces
- Perfectly for slip hazard exterior areas
- Epoxy fitted

Slip Grip Discs offer a durable anti-slip surface for slippery exterior areas. Crafted from marine-grade stainless steel, these discs can withstand various weather conditions, making them a reliable and affordable solution for anti-slip needs.



Installation guide

Install Slip Grip Discs (PSGDISCFBSST) to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

GKB022

Anti-Slip Plate

- CA290 adhesive and mechanical fixings
- Rugged non-slip carborundum
- Available in a variety of sizes on request upto 1200 x 1200mm
- Suitable for platforms and flat areas

Anti-Slip Plates enhance traction and reduce slip hazards on stairs and walkways. Their abrasion-resistant carborundum surface ensures safety in high-traffic areas, making them suitable for both indoor and outdoor commercial environments.

Installation guide

Install GKB022 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior

Profile Colours

Black, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



People Treads

HRPT305 & HRPT610

- Easy retro fit install
- Perfect for slippery interior surfaces such as timber and tile
- Affordable solution anyone can install

People Treads provide slip prevention for residential and light commercial use. Their soft, comfortable texture is mop-friendly, leaving no sticky residue upon removal. Suitable for various surfaces, they ensure reliable safety.

Installation guide

Install HRPT305 and HRPT610 to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Interior and Exterior


Available in 305mm x 152mm or
610mm x 152mm sizes

SKTSTPEDGE

Skatestop Edge Skate Deterrent

- Easy rebated installation
- Excellent Durability
- Zero Maintenance

Skatestop Edge Skate Deterrent effectively prevent damage from skateboards, scooters, and bikes in public and commercial spaces. The edge skatestops are easy to install on benches, ledges, and other surfaces. They maintain a clean, modern appearance while protecting surfaces.



Installation guide

Install Skatestop Edge Skate Deterrents (SKTSTPEDGE) to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Exterior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

SKTDTRNT

Bullet Head Skate Deterrent

- Easy rebated installation
- Excellent Durability
- Zero Maintenance
- Install 500mm apart


Bullet Head Skate Deterrent effectively prevent damage from skateboards, scooters, and bikes in public and commercial spaces. The bullet head skatestops are easy to install on benches, ledges and most other hard surfaces, they maintain a clean, modern appearance while protecting surfaces.

Installation guide

Install Bullet Head Skate Deterrents (SKTDTRNT) to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Exterior





Stair Armour

PVC Stair Armour

- Self adhesive
- Available in 760mm lengths
- Protects your stairs on active building sites
- Can be reused across multiple stairs and projects


PVC Stair Armour enhances stair safety and durability with easy installation. Simply push into place after removing the backs from the adhesive tape. Its ribbed profile provides exceptional anti-slip protection, ideal for protecting stairs on active work sites.

Installation guide

Install PVC Stair Armour (PSN760X185) to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.


Application

Interior and exterior



Stair Armour colours

Black, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Wheel Stops

Recycled Plastic Wheel Stops

- Available for standard-size parks and extra large parks for the disabled
- Reduces damage in parking areas
- Asphalt spikes or concrete fasteners included


Recycled Plastic Wheel Stops are a reliable solution for controlling vehicle positioning in parking areas, preventing damage to structures and other vehicles. Easy to install, they ensure long-lasting performance in commercial, public, and residential spaces.

Installation guide

Install Wheel Stops (WHLSTP1650 & WHLSTP1830) to required areas as marked in accordance with manufacturer's recommendations. For the best results we can provide installation.

Application

Exterior





CA290

Instant Grab Construction Adhesive

- Ready for immediate use in 290ml cartridge
- Excellent adhesion on almost all surfaces
- UV, water and weather resistant
- Temperature resistance is -40°C to 100°C
- Caulking guns also available for purchase

Instant Grab Construction Adhesive (CA290) is a high quality instant grip polymer adhesive designed for the building and construction industry. The product is odourless and silicone, solvent, phthalate, PVC and isocyanide free.

Installation guide

Install CA290 to required areas as marked in accordance with manufacturer's recommendations.

Application

Exterior and Interior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Threshold Ramps

Adjustable Aluminium Threshold Ramps

- Available in eight different sizes to fit all surfaces
- Adjustable heights available from 25mm-152mm
- 360kg weight limit with heavy duty construction


Adjustable Aluminium Threshold Ramps provide smooth transitions over doorways and uneven surfaces, enhancing accessibility for wheelchairs and pedestrians. Lightweight and corrosion-resistant, they ensure durability and long-lasting performance in various settings.

Installation guide

Install ATH1232, ATH1236, ATH2432, ATH2436, ATH3632, ATH3636, ATH4832 & ATH4836 to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior and Interior



ATH1232 W=812mm, D=304mm, H=25mm - 50mm

ATH1236 W=914mm, D=304mm, H=25mm - 50mm

ATH2432 W=812mm, D=610mm, H=50mm - 89mm

ATH2436 W=914mm, D=610mm, H=50mm - 89mm

ATH3632 W=812mm, D=914mm, H=89mm - 127mm

ATH3636 W=914mm, D=914mm, H=89mm - 127mm

ATH4832 W=812mm, D=1219mm, H=101mm - 152mm

ATH4836 W=914mm, D=1219mm, H=101mm - 152mm



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Tactile Tape

Staymark 3M Tactile Tape

- Very easy installation
- 152mm wide tape
- Suitable for Concrete, Asphalt, Tile Stone and Pavers

Staymark 3M Tactile Tape enhances safety and accessibility for the visually impaired by creating a tactile surface for navigation. Durable and weather-resistant, it adheres easily to floors, stairs, and walkways.

Installation guide

Install Tactile Tape (STMRKTP152MM) to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Carpark Domes

Stainless Steel Carpark Domes

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers


Metal carpark corner domes (CRPKDMSST) are installed to define edges and protect kerbs, islands, and landscaping in parking areas. They help guide vehicle movement, discourage corner-cutting, and reduce damage in tight turning zones while remaining low-profile and unobtrusive.

Installation guide

Install Carpark Domes to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior



Stainless Steel Surface Mount Bollards

BLDSMSST

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers

Our Galvanised Steel Surface Mount Bollards are purpose-built for traffic control and property and asset protection, ideal for guarding your vulnerable property, plant and equipment.

Made from tough galvanised steel, these bollards are bolted onto a concrete surface to protect pallet racking, door tracks, corners of walls, buildings, and much more. Available with a flat cap in either natural galvanised or yellow galvanised colours.

Installation guide


Install bollards to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Colours

Natural



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Stainless Steel Surface Mount Bollards

BLDSMSST101X1100

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers

Our Galvanised Steel Surface Mount Bollards are purpose-built for traffic control and property and asset protection, ideal for guarding your vulnerable property, plant and equipment.

Made from tough galvanised steel, these bollards are bolted onto a concrete surface to protect pallet racking, door tracks, corners of walls, buildings, and much more. Available with a flat cap in either natural galvanised or yellow galvanised colours.

Installation guide


Install bollards to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Colours

Natural



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Stainless Steel Surface Mount Bollards

BLDSMSST152X1100

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers

Our Galvanised Steel Surface Mount Bollards are purpose-built for traffic control and property and asset protection, ideal for guarding your vulnerable property, plant and equipment.

Made from tough galvanised steel, these bollards are bolted onto a concrete surface to protect pallet racking, door tracks, corners of walls, buildings, and much more. Available with a flat cap in either natural galvanised or yellow galvanised colours.

Installation guide


Install bollards to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Colours

Natural



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Galvanised Surface Mount Bollards

BLDSMGV115X1100

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers

Our Galvanised Steel Surface Mount Bollards are purpose-built for traffic control and property and asset protection, ideal for guarding your vulnerable property, plant and equipment.

Made from tough galvanised steel, these bollards are bolted onto a concrete surface to protect pallet racking, door tracks, corners of walls, buildings, and much more. Available with a flat cap in either natural galvanised or yellow galvanised colours.

Installation guide


Install bollards to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Colours

Natural, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Galvanised Surface Mount Bollards

BLDSMGV165X1100

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers

Our Galvanised Steel Surface Mount Bollards are purpose-built for traffic control and property and asset protection, ideal for guarding your vulnerable property, plant and equipment.

Made from tough galvanised steel, these bollards are bolted onto a concrete surface to protect pallet racking, door tracks, corners of walls, buildings, and much more. Available with a flat cap in either natural galvanised or yellow galvanised colours.

Installation guide


Install bollards to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Colours

Natural, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Galvanised Surface Mount Bollards

BLDSMGV220X1200

- Simple installation
- Reduce property damage
- Suitable for Concrete, Asphalt, Tile, Stone and Pavers

Our Galvanised Steel Surface Mount Bollards are purpose-built for traffic control and property and asset protection, ideal for guarding your vulnerable property, plant and equipment.

Made from tough galvanised steel, these bollards are bolted onto a concrete surface to protect pallet racking, door tracks, corners of walls, buildings, and much more. Available with a flat cap in either natural galvanised or yellow galvanised colours.

Installation guide


Install bollards to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Colours

Natural, Yellow



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Swivel Post Mounted Cradle Bike Rack

BREZHLDTRIWMSWPC

- Swivels side-to-side 45 degrees
- Maximises storage capacity
- Easy bolt-down installation
- 400mm spacings

This rack combines style with smart functionality through its unique hinge design, allowing the rack to swivel smoothly by 45 degrees from side to side. This dynamic feature minimises required spacing between racks to just 400mm. The innovative cradle securely holds the front wheel, making it easy to lock both the wheel and frame for added security. Perfect for compact, efficient bike storage solutions.

Installation guide

Install Swivel Post Mounted Cradle Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results, we can provide installation.

Application

Exterior & Interior

Finish

Galvinised, Powder coated



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX




Tri Post Mounted Cradle Bike Rack

BREZHLDTRIWMP

- Maximises storage capacity
- Easy bolt-down installation
- 400mm spacings

The Tri Post Mounted Cradle Bike Rack is the ultimate space-maximising solution for bike parking in compact areas. Designed to enhance capacity, this innovative post is combined with our Tri bike rack and can be configured for single-sided or double-sided use, adapting seamlessly to your specific needs. Perfect for tight spaces, this bike rack optimises bike parking efficiency without compromising accessibility.



Installation guide

Install Tri Post Mounted Cradle Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results, we can provide installation.

Application

Exterior & Interior

Finish

Galvinised, Powder coated



Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

Swivel Wall Mounted Cradle Bike Rack

BREZHLDTRIWMSWPC

- Swivels side-to-side 45 degrees
- Maximises storage capacity
- Easy installation
- 400mm spacings

This rack combines style with smart functionality through its unique hinge design, allowing the rack to swivel smoothly by 45 degrees from side to side. This dynamic feature minimises required spacing between racks to just 400mm. The innovative cradle securely holds the front wheel, making it easy to lock both the wheel and frame for added security. Perfect for compact, efficient bike storage solutions.



Finish

Powder coated



Installation guide

Install Swivel Wall Mounted Cradle Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results, we can provide installation.

Application

Exterior & Interior



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX




Tri Wall-Mounted Triangular Cradle Bike Rack

BREZHLDTRIWMPC

- Maximises storage capacity
- Easy installation
- 400mm spacings

The Tri Wall Mounted Triangular Cradle Bike Rack is a high-density bike storage system designed for maximum space efficiency. It can be installed individually or in larger clusters, making it ideal for car parks, bike storage rooms, and other indoor or covered areas. The Tri Wall Mounted Triangular Cradle Bike Rack features a gentle cradle for the front wheel, ensuring bike safety and easy access for parking. It can be mounted directly onto existing walls.



Installation guide

Install Tri Wall Mounted Triangular Cradle Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results, we can provide installation.

Application

Exterior & Interior

Finish

Powder coated



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Square Wall Mounted Vertical Bike Rack

BREZHLDSQWMPC

- Maximises storage capacity
- Easy installation
- 500 - 700mm spacings

This robust bike rack, crafted from mild steel and hot-dip galvanised for durability, is designed for wall mounting and securely holds one full-size bicycle. It allows for complete security by enabling both the wheel and frame to be locked. The bike is supported on prongs, protecting the rims from potential damage. Suitable for both indoor and outdoor use.

Installation guide

Install Square Wall Mounted Vertical Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results, we can provide installation.

Application

Exterior & Interior

Finish

Powder coated



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Wall Mounted Horizontal Bike Rack

BREZHORSQWMP

- Black powder coated
- Easy installation
- Saves space

The Wall Mounted Horizontal Bike Rack is designed to securely hold two standard-framed bikes, making it an efficient, space-saving storage solution for areas above car bonnets. This clever design not only maximises available space but also provides peace of mind, allowing cyclists to lock both the main bike frame and both wheels for enhanced security. Ideal for compact spaces, this rail system is perfect for adding organised, secure bike parking to garages, car parks, or any space where efficiency and security are a priority.

Installation guide


Install Wall Mounted Horizontal Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results, we can provide installation.

Application

Exterior & Interior

Finish

Powder coated



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



Surface Mounted Hoop Bike Rack

BREZHB

- Efficient and space-saving design for bike parking
- Simple and quick to install
- Built for durability and long-lasting use
- Cost-effective solution

The Surface Mounted Hoop Bike Rack combines durability with sleek design, offering a stylish and practical bike storage solution for any public space. Versatile and elegant, it suits a variety of environments and is available in surface mount options with stainless steel or galvanised finishes.

Installation guide

Install Surface Mounted Hoop Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Finish

Galvanised, Stainless Steel



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

4 P-Style Bike Rack

BREZNST4

- Power-coated or galvanised
- welded construction
- Easy installation process
- Stores 4 bikes
- P-style frame



The 4 P-Style Bike Rack is crafted for secure, space-saving storage, making it ideal for indoor and outdoor car parks, apartment complexes, parks, and recreational areas popular with cyclists. This classic P Style rack offers a compact, high-capacity solution for organised bike storage. Its leaning rail 'P frame' design serves a dual purpose: it supports the bike frame and allows cyclists to lock both the wheel and frame to the rack for added security.

Installation guide

Install Coat Hanger Frame Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Finish

Powder-coated, Galvanised



Application


Exterior



7 Coat Hanger Frame Bike Rack

BREZNST

- Single or double-sided access
- Heavy-duty steel or 316 stainless steel welded construction
- Easy installation process
- Available in two sizes
- Stores 7 bikes



The 7 Coat Hanger Frame Bike Rack our largest bike rack, designed to keep multiple bicycles neatly organised. Built with a galvanised or stainless steel coat hanger-style frame, it offers outstanding durability, strength, and rust resistance. This easy-to-install rack maximises storage space, making it perfect for garages, sheds, or outdoor areas. Enjoy an efficient, clutter-free way to store your bikes with this versatile and robust solution.

Installation guide

Install Coat Hanger Frame Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Finish

Galvanised, Stainless Steel




Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

10 Coat Hanger Frame Bike Rack

BREZNST

- Single or double-sided access
- Heavy-duty steel or 316 stainless steel welded construction
- Easy installation process
- Available in two sizes
- Stores 10 bikes



The 10 Coat Hanger Frame Bike Rack our largest bike rack, designed to keep multiple bicycles neatly organised. Built with a galvanised or stainless steel coat hanger-style frame, it offers outstanding durability, strength, and rust resistance. This easy-to-install rack maximises storage space, making it perfect for garages, sheds, or outdoor areas. Enjoy an efficient, clutter-free way to store your bikes with this versatile and robust solution.

Installation guide

Install Coat Hanger Frame Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior

Finish

Galvanised, Stainless Steel



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



2-Tier Sliding Upper, Fixed Lower Bike Rack

BREZSTX2TFL

- Each rack can park 2 bikes
- To use top tier, simply pull out the sliding base rail until it reaches its pivot point, then fold it down for easy bicycle positioning
- Product is available in a galvanised finish

This rack is the perfect choice to optimise your bike storage area capacity. These racks achieve increased efficiency through tiered storage. The top tier features gas lift for ease of use, the bottom level is static.

Installation guide

Install 2-Tier Sliding Upper, Fixed Lower Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior & Interior

Finish

Galvanised



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX



Max Dynamic 2-Tier Sliding Upper and Lower Bike Rack

BREZSTX2TDYN

- Each rack can park 2 bikes
- Dynamic 2-tier sliding upper and lower
- To use top tier, simply pull out the sliding base rail until it reaches its pivot point, then fold it down for easy bicycle positioning
- Product is available in a galvanised finish

This rack is the most space efficient storage storage rack on the market, the perfect choice to optimise your bike storage area capacity. These racks achieve increased efficiency through tiered storage, combined with dynamic design.

Installation guide

Install 2-Tier Sliding Upper, Fixed Lower Bike Rack to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior & Interior

Finish

Galvanised



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX





Stainless Steel Raised Braille Signage

CODE

- Available in 4 shapes and sizes
- Many different signs to choose from
- English or Te Reo Māori with English
- Border for contrast

Our Braille signs are designed to deliver clear, accessible wayfinding while standing up to the demands of busy public environments. Manufactured from durable stainless steel, each sign features raised text, tactile braille, high-contrast borders, and easy-to-understand pictograms to assist a wide range of users. Developed in accordance with Blind Low Vision New Zealand best-practice guidelines, helping create inclusive spaces that are accessible, compliant, and built to last.



Finish

Stainless Steel



Options include:

Toilet, women, men, accessible toilet, parent room, changing room, shower, elevator, stairway, meeting room, hearing loop, first aid and assembly point

Installation guide

Install Braille signage in required areas as marked in accordance with our Braille installation guide. Adhesive or mechanical fixings available for installation.

Application

Exterior & Interior



Haptix BY
CMT
GROUP


haptix.co.nz
0800 HAPTIX

Barrel Topped Skate Stud

SKCYLNDGBRL

- Available in Stainless or Brass
- Button top
- Individual studs

Barrel Topped Skate Deterrents effectively prevent damage from skateboards, scooters, and bikes in public and commercial spaces. The barrel topped skatestops are easy to install on benches, ledges and most other hard surfaces, they maintain a clean, modern appearance while protecting surfaces.



Installation guide

Install skate deterrents to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior & Interior

Material

Stainless Steel, Brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Swoosh Edge Protector

SKSLSWSEDG

- Available in Stainless or Brass
- Swoosh and Flat top
- Protects edges

Our Edge Protector Skate Deterrents provide a discreet and durable solution for protecting ledges and edges from skate damage. Their profile prevents grinding and wear while maintaining the appearance of the surrounding asset.

Installation guide

Install skate deterrents to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior & Interior

Material

Stainless Steel, Brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Curved Angle Edge Protector

SKCRVANEDG

- Available in Stainless or Brass
- Flat top
- Screw down

Our Edge Protector Skate Deterrents provide a discreet and durable solution for protecting ledges and edges from skate damage. Their profile prevents grinding and wear while maintaining the appearance of the surrounding asset.

Installation guide

Install skate deterrents to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior & Interior

Material

Stainless Steel, Brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX

Rounded Edge Protector

SKRNDANEDG

- Available in Stainless or Brass
- Flat top
- Screw down

Our Edge Protector Skate Deterrents provide a discreet and durable solution for protecting ledges and edges from skate damage. Their profile prevents grinding and wear while maintaining the appearance of the surrounding asset.

Installation guide

Install skate deterrents to required areas as marked in accordance with manufacturer's recommendation. For the best results we can provide installation.

Application

Exterior & Interior

Material

Stainless Steel, Brass



Haptix BY
CMT
GROUP

haptix.co.nz
0800 HAPTIX